

Safety Data Sheet

Protan G 1.5 PVC Membrane

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product name:	Protan G 1.5 roofing membrane	
	Product definition:	Plasticised PVC coating reinforced with a glassfibre textile - Protan G1.5	
1.2	Use of the substance / preparation:	Waterproofing membrane to be used as roofing for ballasted roofs and wet rooms. Joints are welded with hot air equipment.	
	Relevant identified uses	SU19 Building and construction work	
1.3	Details of the supplier of the safety data sheet:	PROTAN AS Postboks 420 Brakerøya 3002 DRAMMEN Norway Tel: +47 32221600 Fax: +47 32221700 Email: sara.salman@protan.no	
1.4	Emergency telephone number:	Tel: +47 32221700	

SECTION 2: HAZARDS IDENTIFICATION

2.1	Classification of the substance or mixture		
	CLP Classification, comments	R22: Harmful if swallowed	
		R23: Toxic by inhalation	
		R24: Toxic in contact with skin	
		R43: May cause sensitisation by skin contact	
		R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
2.2	Label elements		
2.3	Other hazards		

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.2	Mixtures		
	Substance comments	4,5-dichloro-2-octyl-2H-isothiazol-3-on Cas-no:64359-81-5 EC-no:246-843-8 Concentration (weight%): ? 1 Classification: T, C, N R22, 23, 34, 43, 51/53	

SECTION 4: FIRST AID MEASURES

4.1	Description of first aid measures		
	Inhalation	Not applicable except during welding. Move to fresh air in case of accidental inhalation of vapours or decomposition products.	
	Skin contact	Not applicable except during welding.	

Safety Data Sheet

Protan G 1.5 PVC Membrane

		There is risk of burns if touching molten hot material.	
	Eye contact	Not applicable except during welding. In case of contact between molten hot material and eyes, rinse immediately with plenty of water and seek medical advice.	
4.2	Most important symptoms and effects, both acute and delayed		
4.3	Indication of any immediate medical attention and special treatment needed		

SECTION 5: FIREFIGHTING MEASURES

5.1	Extinguishing media		
	Suitable extinguishing media	Adequate and suitable extinguishing equipment must be available at the building site, i.e. 6 kg ABE powder extinguisher or 1" fire hose connected to a water supply.	
5.2	Special hazards arising from the substance or mixture		
	Hazardous combustion products	In case of fire, corrosive and harmful gases can come free.	
5.3	Advice for firefighters		

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures		
6.2	Environmental precautions		
6.3	Methods and material for containment and cleaning up		
	Clean up	Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).	
6.4	Reference to other sections		

SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling		
7.2	Conditions for safe storage, including any incompatibilities		
	Storage	Preferably in dry conditions and not directly exposed to sun radiation. - Packaging: Wooden pallet with plastic wrapping.	
7.3	Specific end use(s)		

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control parameters		
8.2	Exposure controls		
	Eye / face protection		
	Suitable eye protection	Not applicable.	
	Hand protection		
	Suitable glove type	Gloves when appropriate.	

Safety Data Sheet

Protan G 1.5 PVC Membrane

	Skin protection		
	Suitable protective clothing	The personnel should wear protective clothing.	
	Respiratory protection		
	Respiratory protection, general	When welding indoors the concentration of smoke can be irritating for respiratory organs. Use extra ventilation or protection mask ABE1P3	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties		
	Form	Solid	
	Colour	Different colours available.	

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity		
10.2	Chemical stability		
	Stability	Stable under the recommended storage and handling conditions. (See Section 7).	
10.3	Possibility of hazardous reactions		
	Possibility of hazardous reactions	At very high temperatures pyrolysis/combustion products such as water vapour, carbon monoxide, carbon dioxide and hydrochloric acid may form.	
10.4	Conditions to avoid		
10.5	Incompatible materials		
10.6	Hazardous decomposition products		

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects		
------	--------------------------------------	--	--

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity		
	Ecotoxicity	Ecological problems are not known, or expected, under normal use.	
12.2	Persistence and degradability		
12.3	Bioaccumulative potential		
12.4	Mobility in soil		
12.5	Results of PBT and vPvB assessment		
12.6	Other adverse effects		

Safety Data Sheet

Protan G 1.5 PVC Membrane

SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	
	Appropriate methods of disposal for the contaminated packaging	Contact waste disposal services.

SECTION 14: TRANSPORT INFORMATION

14.1	UN Number	
14.2	UN proper shipping name	
14.3	Transport hazard class(es)	
14.4	Packing group	
14.5	Environmental hazards	
14.6	Special precautions for user	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code	

SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations / legislation specific for the substance or mixture	
	Other labelling requirements	This product does not contain any substances from ECHA's candidate list of Substances of Very High Concern for authorisation. Not regarded as a health or environmental hazard according to regulation (EC) no.1907/2006 (REACH). Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-on
15.2	Chemical safety assessment	

SECTION 16: OTHER INFORMATION

Supplier's notes	Ref. section 3. The mentioned component 4,5-dichloro-2-octyl-2H-isothiazol-3-on are reacted into or bonded in the material.
Last update date (Protan AS)	01.11.2021
Moy Materials Ltd version prepared by	Martin Bidewell

The data contained in this document is correct on date of issue and complete to the best of our knowledge as it applies to this product. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. The information given does not represent an assurance and it is the user's responsibility to ensure that the information is suitable and complete for the respective use.