


Safety Data Sheet

MemBond TPO Membrane Adhesive

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	<u>Product Identifier</u>		
	Product name	MemBond TPO Membrane Adhesive	
	UFI	UFI: NGVA-GOWJ-500G-QNXM	
1.2	<u>Relevant identified uses of the substance or mixture and uses advised against</u>		
	Identified uses	Adhesive	
	Uses advised against	No specific uses advised against are identified	
1.3	<u>Details of the supplier of the safety data sheet</u>	Moy Materials Ltd. Unit K, South City Business Park, Whitestown Way, Tallaght, Dublin 24, D24 PE83 Ireland info@moymaterials.com	
1.4	<u>Emergency telephone number</u>	+44 (0) 1827 69662 (NOT 24hrs - 8am - 5pm Mon-Fri)	

SECTION 2: HAZARD IDENTIFICATION

2.1	<u>Classification of the substance or mixture</u>		
	<u>Classification (SI 2019 No. 720)</u>		
	Physical hazards	Flam. Liq. 2 - H225	
	Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H336	
	Environmental hazards	Aquatic Chronic 2 - H411	
	Physicochemical	The product is highly flammable. Vapours may form explosive mixtures with air. Vapours are heavier than air and may travel along the floor and accumulate in the bottom of containers. Vapours may be ignited by a spark, a hot surface or an ember.	
2.2	<u>Label elements</u>		
	Hazard pictograms		
	Signal word	Danger	
	Hazard statements	H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	
	Precautionary statements	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment.	

Safety Data Sheet

MemBond TPO Membrane Adhesive

		P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
		P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P313 Get medical advice/ attention.
		P501 Dispose of contents/ container in accordance with national regulations.
		As from 24 August 2023, adequate training is required before industrial or professional use.
	Contains	hydrocarbons, C6-C7,n-alkanes, isoalkanes, cyclics, <5% n-hexane, Ethyl acetate
2.3	Other hazards	
	This product does not contain any substances classified as PBT or vPvB.	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2	Mixtures	
	hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	30-60%
	CAS number: - EC number: 921-024-6	
	Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	
	Ethyl acetate	10-30%
	CAS number: 141-78-6 EC number: 205-500-4	
	Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	

Safety Data Sheet MemBond TPO Membrane Adhesive

<p>HEXANE-norm <1%</p> <p>CAS number: 110-54-3 EC number: 203-777-6</p>
<p>Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Repr. 2 - H361f STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411</p>
<p>ZBED (ZINC DIBENZYL DITHIOCARBAMATE) <1%</p> <p>CAS number: 14726-36-4 EC number: 38-778-0</p> <p>M factor (Acute) = 1 M factor (Chronic) = 1</p>
<p>Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410</p>
<p>The full text for all hazard statements is displayed in Section 16.</p>

SECTION 4: FIRST AID MEASURES

	Description of first aid measures	
4.1	General information	Get medical attention if any discomfort continues.
	Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
	Ingestion	Rinse mouth thoroughly with water. Get medical attention.
	Skin contact	Remove contaminated clothing immediately and wash skin with soap and water.
	Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately.
4.2	Most important symptoms and effects, both acute and delayed	
	General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
	Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.
	Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
	Skin contact	Prolonged skin contact may cause redness and irritation.
	Eye contact	May cause temporary eye irritation.

Safety Data Sheet

MemBond TPO Membrane Adhesive

4.3	<u>Indication of any immediate medical attention and special treatment needed</u>	
	Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: FIREFIGHTING MEASURES

5.1	<u>Extinguishing media</u>	
	Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire. Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.
	Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2	<u>Special hazards arising from the substance or mixture</u>	
	Specific hazards	The product is flammable. Heating may generate flammable vapours. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m ³ . The product is highly flammable.
	Hazardous combustion products	Does not decompose when used and stored as recommended.
5.3	<u>Advice for firefighters</u>	
	Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses. Avoid breathing fire gases or vapours. Keep up-wind to avoid fumes.
	Special protective equipment for firefighters	Wear chemical protective suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	<u>Personal precautions, protective equipment and emergency procedures</u>	
	Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2	<u>Environmental precautions</u>	
	Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Do not discharge into drains or watercourses or onto the ground.
6.3	<u>Methods and material for containment and cleaning up</u>	
	Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.
6.4	<u>Reference to other sections</u>	
	Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13.

Safety Data Sheet MemBond TPO Membrane Adhesive

SECTION 7: HANDLING AND STORAGE

7.1	<u>Precautions for safe handling</u>	
	Usage precautions	Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
7.2	<u>Conditions for safe storage, including any incompatibilities</u>	
	Storage precautions	Keep away from heat, sparks and open flame. Keep container tightly closed. Keep only in the original container.
	Storage class	Flammable liquid storage.
7.3	<u>Specific end use(s)</u>	
	Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1	<u>Control parameters</u>	
	<u>Occupational exposure limits</u>	
	<u>Ethyl acetate</u>	
	Long-term exposure limit (8-hour TWA): WEL 200 ppm	
	Short-term exposure limit (15-minute): WEL 400 ppm	
	<u>HEXANE-norm</u>	
	Long-term exposure limit (8-hour TWA): WEL 20 ppm 72 mg/m ³	
	WEL = Workplace Exposure Limits	
	<u>Ingredient comments</u>	WEL = Workplace Exposure Limits
		<u>hydrocarbons, C6-C7,n-alkanes, isoalkanes, cyclics, <5% n-hexane</u>
	<u>Ingredient comments</u>	WEL = Workplace Exposure Limits
	<u>DNEL</u>	Consumer - Oral; Long term systemic effects: 699 mg/kg bw/day Consumer - Dermal; Long term systemic effects: 699 mg/kg bw/day Workers - Dermal; Long term systemic effects: 773 mg/kg bw/day Consumer - Inhalation; Long term systemic effects: 608 mg/m ³
		<u>ETHYL ACETATE (CAS: 141-78-6)</u>
	<u>DNEL</u>	Workers - Inhalation; Short term systemic effects: 1468 mg/m ³ Workers - Inhalation; Short term local effects: 1468 mg/m ³ Consumer - Inhalation; Short term systemic effects: 734 mg/m ³ Consumer - Inhalation; Short term local effects: 374 mg/m ³ Workers - Inhalation; Long term local effects: 734 mg/m ³ Workers - Dermal; Long term systemic effects: 63 mg/kg bw/day

Safety Data Sheet

MemBond TPO Membrane Adhesive

		Workers - Inhalation; Long term systemic effects: 734 mg/m ³
		Consumer - Dermal; Long term systemic effects: 37 mg/kg bw/day
		Consumer - Inhalation; Long term systemic effects: 367 mg/m ³
		Consumer - Oral; Long term systemic effects: 4.5 mg/kg bw/day
		Consumer - Inhalation; Long term local effects: 367 mg/m ³
	PNEC	- Fresh water; 0.26 mg/l - marine water; 0.026 mg/l - Intermittent release; 1.65 mg/l - Sediment (Freshwater); 1.25 mg/kg - Sediment (Marinewater); 0.125 mg/kg - Soil; 0.24 mg/kg - STP; 650 mg/l
8.2	Exposure controls	
	Protective equipment	
		
	Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
	Eye/face protection	The following protection should be worn: Chemical splash goggles.
	Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
	Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Wear apron or protective clothing in case of contact.
	Hygiene measures	Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station. Wash contaminated clothing before reuse. Wash hands after handling. Eating, smoking and water fountains prohibited in immediate work area.
	Respiratory protection	In confined or poorly-ventilated spaces, a supplied-air respirator must be worn. Wear a respirator fitted with the following cartridge: Gas filter, type AX.
	Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties	
	Appearance	Coloured liquid.
	Colour	Cream.
	Odour	Characteristic.
	Odour threshold	Not available.
	pH	Not available.
	Melting point	Not available.

Safety Data Sheet

MemBond TPO Membrane Adhesive

	Initial boiling point and range	Estimated value. 62-100°C @	
	Flash point	Estimated value. -35°C	
	Evaporation rate	Not determined.	
	Evaporation factor	Not available.	
	Flammability (solid, gas)	Not available.	
	Upper/lower flammability or explosive limits	Estimated value.: 0.6-13%	
	Other flammability	Not available.	
	Vapour pressure	Not available.	
	Vapour density	Not available.	
	Relative density	0.83 @ 20°C	
	Bulk density	Not available.	
	Solubility(ies)	Insoluble in water.	
	Partition coefficient	Not available.	
	Decomposition Temperature	Not available.	
	Viscosity	Kinematic viscosity > 20.5 mm ² /s.	
	Explosive properties	Not available.	
	Explosive under the influence of a flame	Not considered to be explosive.	
	Oxidising properties	Not available.	
	Comments	Information given is applicable to the product as supplied.	
9.2	<u>Other information</u>		
	Other information	No information required.	
	Refractive index	Not available.	
	Particle size	Not available.	
	Molecular weight	Not available.	
	Volatility	Not available.	
	Saturation concentration	Not available.	
	Critical temperature	Not available.	

SECTION 10: STABILITY AND REACTIVITY

10.1	<u>Reactivity</u>		
	Reactivity	There are no known reactivity hazards associated with this product.	
10.2	<u>Chemical stability</u>		
	Stability	No particular stability concerns. Stable at normal ambient temperatures and when used as recommended.	
10.3	<u>Possibility of hazardous reactions</u>		
	Possibility of hazardous reactions	Not applicable. Not relevant.	
10.4	<u>Conditions to avoid</u>		
	Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5	<u>Incompatible materials</u>		
	Materials to avoid	Strong oxidising agents. Strong acids. Strong alkalis.	
10.6	<u>Hazardous decomposition products</u>		
	Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion	

Safety Data Sheet MemBond TPO Membrane Adhesive

may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	<u>Information on toxicological effects</u>	
	<u>Toxicological information on ingredients.</u>	
	<u>hydrocarbons, C6-C7,n-alkanes, isoalkanes, cyclics, <5% n-hexane</u>	
	Toxicological effects	No information available.
	<u>Acute toxicity - oral</u>	
	Acute toxicity oral (LD ₅₀ mg/kg)	5,840.0
	Species	Rat
	Notes (oral LD ₅₀)	Not known. Data lacking.
	ATE oral (mg/kg)	5,840.0
	<u>Acute toxicity - dermal</u>	
	Acute toxicity dermal (LD ₅₀ mg/kg)	2,920.0
	Species	Rat
	Notes (dermal LD ₅₀)	Data lacking.
	ATE dermal (mg/kg)	2,920.0
	<u>Acute toxicity - inhalation</u>	
	Acute toxicity inhalation (LC ₅₀ vapours mg/l)	25.2
	Species	Rat
	ATE inhalation (vapours mg/l)	25.2
	<u>Skin corrosion/irritation</u>	
	Animal data	Data lacking.
	<u>Serious eye damage/irritation</u>	
	Serious eye damage/irritation	Data lacking.
	<u>Aspiration hazard</u>	
	Aspiration hazard	Kinematic viscosity > 20.5 mm ² /s.
	Inhalation	May cause respiratory system irritation.
	Ingestion	May cause stomach pain or vomiting.
	Skin contact	Irritating to skin.
	Eye contact	May cause severe eye irritation.
	Acute and chronic health hazards	Vapour from this product may be hazardous by inhalation.
	Route of exposure	Inhalation Skin absorption Ingestion. Skin and/or eye contact
	Target organs	No specific target organs known.
	Medical symptoms	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Headache. Fatigue. Nausea, vomiting.
	Medical considerations	No information available.

Safety Data Sheet MemBond TPO Membrane Adhesive

<u>Ethyl acetate</u>	
<u>Acute toxicity - oral</u>	
Acute toxicity oral (LD ₅₀ mg/kg)	5,620.0
Species	Rat
ATE oral (mg/kg)	5,620.0
<u>Acute toxicity - dermal</u>	
Acute toxicity dermal (LD ₅₀ mg/kg)	20,000.0
Species	Rabbit
ATE dermal (mg/kg)	20,000.0
<u>Acute toxicity - inhalation</u>	
Acute toxicity inhalation (LC ₅₀ vapours mg/l)	30.0
Species	Rat
ATE inhalation (vapours mg/l)	30.0
Inhalation	Drowsiness.
Ingestion	Harmful if swallowed.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
<u>HEXANE-norm</u>	
<u>Acute toxicity - oral</u>	
Acute toxicity oral (LD ₅₀ mg/kg)	25,000.0
Species	Rat
ATE oral (mg/kg)	25,000.0
<u>Acute toxicity - inhalation</u>	
Acute toxicity inhalation (LC ₅₀ gases ppmV)	48,000.0
Species	Rat
ATE inhalation (gases ppm)	48,000.0
<u>ZBED (ZINC DIBENZYL DITHIOCARBAMATE)</u>	
Inhalation	Coughing, chest tightness, feeling of chest pressure.
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
Skin contact	Causes mild skin irritation.
Eye contact	Irritating and may cause redness and pain.

SECTION 12: ECOLOGICAL INFORMATION

<u>Ecological information on ingredients.</u>	
<u>hydrocarbons, C6-C7,n-alkanes, isoalkanes, cyclics, <5% n-hexane</u>	
Ecotoxicity	Dangerous for the environment.

Safety Data Sheet

MemBond TPO Membrane Adhesive

12.1	<u>Toxicity</u>	
	<u>Ecological information on ingredients.</u>	
	<u>hydrocarbons, C6-C7,n-alkanes, isoalkanes, cyclics, <5% n-hexane</u>	
	<u>Acute aquatic toxicity</u>	
	Acute toxicity - fish	LC ₀ , hours: >1-<10 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 3 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	LC ₀ , hours: >1-<10 mg/l, Algae
	<u>Ethyl acetate</u>	
	<u>Acute aquatic toxicity</u>	
	Acute toxicity - fish	EC ₅₀ , 48 hours: 610 mg/l, Marinewater fish
		LC ₅₀ , 96 hours: 230 mg/l, Pimephales promelas (Fat-head Minnow)
	Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 11.5 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC ₅₀ , 48 hours: 5600 mg/l, Freshwater algae
	<u>HEXANE-norm</u>	
	<u>Acute aquatic toxicity</u>	
	Acute toxicity - fish	LC ₅₀ , EC ₅₀ , IC ₅₀ , : 10 mg/l, Fish
	Acute toxicity - aquatic invertebrates	LC ₅₀ , EC ₅₀ , IC ₅₀ , : 10 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	LC ₅₀ , EC ₅₀ , IC ₅₀ , : 10 mg/l, Algae
	<u>ZBED (ZINC DIBENZYL DITHIOCARBAMATE)</u>	
	<u>Acute aquatic toxicity</u>	
	LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
	M factor (Acute)	1
	Acute toxicity - fish	LC ₅₀ , 96 hours: 10 mg/l, Brachydanio rerio (Zebra Fish)
	<u>Chronic aquatic toxicity</u>	
	M factor (Chronic)	1
12.2	<u>Persistence and degradability</u>	
12.3	<u>Bioaccumulative potential</u>	
	Partition coefficient	Not available.
	<u>Ecological information on ingredients</u>	
	<u>Ethyl acetate</u>	
	Bioaccumulative potential	BCF: 30,
	Partition coefficient	Not available.
12.4	<u>Mobility in soil</u>	
	Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.
	<u>Ecological information on ingredients</u>	

Safety Data Sheet MemBond TPO Membrane Adhesive

	<u>Ethyl acetate</u>	
	Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.
	<u>ZBED (ZINC DIBENZYL DITHIOCARBAMATE)</u>	
	Mobility	Insoluble in water.
12.5	<u>Results of PBT and vPvB assessment</u> Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
	<u>Ecological information on ingredients</u>	
		<u>Ethyl acetate</u>
	Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
		<u>ZBED (ZINC DIBENZYL DITHIOCARBAMATE)</u>
	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current UK criteria.
12.6	<u>Other adverse effects</u> Other adverse effects	None known.
	<u>Ecological information on ingredients</u>	
		<u>Ethyl acetate</u>
	Other adverse effects	None known.



SECTION 13: DISPOSAL CONSIDERATIONS

13.1	<u>Waste treatment methods</u> General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
	Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: TRANSPORT INFORMATION

14.1	<u>UN number</u> UN No. (ADR/RID)	1133
	UN No. (IMDG)	1133
	UN No. (ICAO)	1133
	UN No. (ADN)	1133
14.2	<u>UN proper shipping name</u> Proper shipping name (ADR/RID)	ADHESIVES
	Proper shipping name (IMDG)	ADHESIVES
	Proper shipping name (ICAO)	ADHESIVES

Safety Data Sheet MemBond TPO Membrane Adhesive

Proper shipping name (ADN)		ADHESIVES
14.3	<u>Transport hazard class(es)</u>	
	ADR/RID class	3
	ADR/RID classification code	F1
	ADR/RID label	3
	IMDG class	3
	ICAO class/division	3
	ADN class	3
	Transport labels	
		
14.4	<u>Packing group</u>	
	ADR/RID packing group	II
	IMDG packing group	II
	ICAO packing group	II
	ADN packing group	II
14.5	<u>Environmental hazards</u>	
	Environmentally hazardous substance/marine pollutant	
		
14.6	<u>Special precautions for user</u>	
	EmS	F-E, S-D
	ADR transport category	2
	Hazard Identification Number (ADR/RID)	33
	Tunnel restriction code	(D/E)
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	

SECTION 15: REGULATORY INFORMATION

15.1	<u>Safety, health and environmental regulations/legislation specific for the substance or mixture</u>	
	National regulations	<p><u>1.</u> Health and Safety at Work etc. Act 1974 (as amended). The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). Control of Substances Hazardous to Health Regulations 2002 (as amended).</p>
	EU legislation	Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.
15.2	<u>Chemical safety assessment</u>	No chemical safety assessment has been carried out.

Safety Data Sheet

MemBond TPO Membrane Adhesive

SECTION 16: OTHER INFORMATION

Issued by	Compliance	
Revision date	30/06/2022	
Revision	22	
Supersedes date	16/11/2020	
Hazard statements in full	H225 Highly flammable liquid and vapour.	
	H304 May be fatal if swallowed and enters airways.	
	H315 Causes skin irritation.	
	H319 Causes serious eye irritation.	
	H336 May cause drowsiness or dizziness.	
	H361d Suspected of damaging the unborn child.	
	H361f Suspected of damaging fertility.	
	H373 May cause damage to organs through prolonged or repeated exposure.	
	H400 Very toxic to aquatic life.	
	H410 Very toxic to aquatic life with long lasting effects.	
	H411 Toxic to aquatic life with long lasting effects.	
Store Between	Store Between 5°C-25°C	
Last update date (Manufacturer)	30/06/2022 (Rev 22)	
Moy Materials Ltd version prepared by	Martin Bidewell (28/02/2023 v1)	
<p>The data contained in this document is correct on date of issue and complete to the best of our knowledge as it applies to this product. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. The information given does not represent an assurance and it is the user's responsibility to ensure that the information is suitable and complete for the respective use.</p>		