

PARO-MELT®

Hot Melt Waterproofing System

System Components

Paro-Melt® Primer

Paro-Melt® Reinforcement Mesh

Paro-Melt® Hot Melt Compound

Paro-Melt® Protection Membrane

Paro-Melt® Underlay

Paro-Melt® Granular Finish Capsheet

Inverted Thermal Insulation

Water Reduction and Drainage Layers



Waterproofing System Specialists **moymaterials.com**





PARO-MELT® Explained

A custom 2nd generation hot melt structural waterproofing system used to waterproof inverted roofs. The polymer modified bitumen compound used with a robust SBS protection membrane gives a tough monolithic but flexible roof system. Full immersion of our MOY distinctive blue reinforcement mesh ensures enough compound is being installed.

Designed primarily for use over concrete in inverted roof applications such as podium decks, green roofs, car parks, terraces and balconies.

The full Paro-Melt® system includes a wide range of inverted thermal insulations, water reduction layers and other accessories.







Benefits



2nd Generation

Fast Installation



Upgraded Quality

Tough, Robust and Flexible



30 Year Warranty

Single Point Full System warranty up to 30 years



Leak Free

Self-Healing thixotropic compound will self-heal around minor damage



Approved Installers

Only installed by fully trained and approved operatives



Labour Saving

One easy application



Water Tracking

Applied as a hot bitumen compound with a 100% bond to the substrate water cannot track beneath the monolithic waterproofing



Solvent Free

No onsite curing requirements or limitations of use



Minimal Maintenance

Trafficable immediately after fitting and easily maintained



Zero Falls

BBA Certified for use at Zero Falls

PARO-MELT®

Hot Melt Waterproofing System



MOY Applications reflect the versatility of the 2nd Generation Hot Melt Systems











TRAINING

Operative training is an essential step towards the provision of quality roofing systems. Moy offer regular operative training in order to upskill our trusted network of installers.

All contractors need to be trained before MOY Paro-Melt is released for installation

Contact us to discuss your training needs or please book online www.moymaterials



WE TAKE PRIDE IN **OUR EXCELLENT** AND EFFICIENCY

+353 (0)1 451 9077

+44 (0)1245 707 449

+49 69 50 95 75 551

+44 (0)141 840 4660

info@moymaterials.com

moymaterials.com